Lenovo ThinkVision P24h LED display 60.5~cm (23.8") 2560~x 1440 pixels Quad HD Black

Brand: Lenovo Product family: ThinkVision Product code: 61AEGAR3K2

Product name: P24h

- 60.47cm (23.8") Quad HD 2560 x 1440 W-LED IPS
- 4ms, 16:9, 300cd/m², 1000:1
- USB, DisplayPort

 $60.47 cm \; (23.8") \; Quad \; HD \; 2560 \; x \; 1440 \; W-LED \; IPS, \; 16:9, \; 300 cd/m^2, \; 4ms, \; 178^\circ/178^\circ, \; 1000:100 cm^2 \; Ams, \; 178^\circ/178^\circ, \; 178^\circ/17$

Lenovo ThinkVision P24h LED display 60.5 cm (23.8") 2560 x 1440 pixels Quad HD Black:

The ThinkVision P24H Monitor has QHD resolution, 24" display, and USB Type-C cable connection. Immersive imagery, borderless screen and features for ultimate convenience. The Lenovo™ ThinkVision® P24h Monitor delivers exquisite detail across the 23.8" QHD (2560 x 1440) IPS-type screen, featuring factory-calibrated accuracy, flicker-free display and innovative TÜV eye comfort certification. The elegant design is enhanced with convenient one-cable connection for video, power and data. It's a perfect display solution for professionals and creatives alike.









Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type *	60.5 cm (23.8") 2560 x 1440 pixels Quad HD 16:9 LED IPS	USB Type-A downstream ports quantity DVI port HDMI ports quantity DisplayPorts quantity HDCP	4 X 1 2
Backlight type	W-LED	Ergonomics	
Touchscreen * Display brightness (typical) Response time Screen shape * Supported graphics resolutions Aspect ratio Contrast ratio (typical) * Viewing angle, horizontal Viewing angle, vertical	300 cd/m ² 4 ms Flat 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1366 x 768, 1440 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 2560 x 1440 16:9 1000:1 178° 178° 0.2058 x 0.2058 mm	VESA mounting * Panel mounting interface Cable lock slot * Height adjustment * Height adjustment Pivot Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range On Screen Display (OSD) Number of OSD languages	✓ 100 x 100 mm X ✓ 11 cm ✓ -90 - 90° ✓ -45 - 45° ✓ 5 - 30° ✓
Pixel pitch Pixel density	0.2058 x 0.2058 mm 124 ppi	Power	
Viewable size, horizontal Viewable size, vertical Viewable size diagonal	52.7 cm 29.6 cm 60.5 cm	Power consumption (typical) * AC input voltage AC input frequency	24 W 100 - 240 V 50 - 60 Hz
Colour gamut	99%	Operational conditions	
3D Performance	×	Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 10 - 80%
NVIDIA G-SYNC *	X	Packaging content	
AMD FreeSync *	X	Stand included	✓

Performance		Packaging content	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Home Premium x64, Windows 7 Frofessional, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64	Cables included	AC, USB Type-C
		Manual	✓
		Weight & dimensions	
		Width (with stand)	540.2 mm
		Depth (with stand)	261.8 mm
		Height (with stand)	373.4 mm
		Weight (with stand)	5.69 kg
		Width (without stand)	540.2 mm
		Bezel width (side)	2 mm
		Sustainability	
		Sustainability certificates	EPEAT Gold, ENERGY STAR
		Thin Client	
Multimedia	Orallinate Act	Thin client installed	×
Built-in speaker(s) *	×	Other features	
Built-in speaker(s) **	×	Display	LED
	^	On/off switch	✓
Design		TV tuner integrated	×
Market positioning *	Home & office		
Product colour *	Black		
Feet colour	Black		
0 1151 11	ISO 9241-307, FCC Class B, TCO		
Certification	Displays 7.0, TCO Certifi ed Edge 2.0, WEEE, RoHS, EPEAT Gold		
Ports & interfaces			
Built-in USB hub *	1		
Built-III USB Hub	•		
USB hub version	3.2 Gen 1 (3.1 Gen 1)		
	· ·		
USB hub version	3.2 Gen 1 (3.1 Gen 1)		

