## MSI Pro MP271P 27 Inch Monitor with Adjustable Stand, Full HD (1920 x 1080), 75Hz, IPS, 5ms, HDMI, VGA, Built-in Speakers, Anti-Glare, Anti-Flicker, Less Blue light, TÜV Certified, VESA, Kensington, Black

**Brand :** MSI **Product family:** Pro **Product code:** 9S6-3PA2AT-051

Product name: MSI PRO MP271P 27 Inch Monitor with Adjustable Stand, Full HD (1920 x 1080), 75Hz, IPS, 5ms, HDMI, VGA, Built-in Speakers, Anti-Glare, Anti-Flicker, Less Blue light, TÜV Certified, VESA, Kensington, Black

- TÜV certification display protect your eyesight and keep your eyes healthy
- Less blue light and anti-flicker technology prevent your eyes from strain & fatigue
- Anti-glare display not only helps you to clearly check every line & detail for your learning, but also protect your eyes
- Perfect 27" screen size for multi-tasking and long hour using
- Learn with a comfortable viewing position while focusing on your courses and homework
- The MSI exclusive software Display Kit provides the most convenient tool, the proper display & color mode for you while learning with it everyday
- Keep the flexibility for your different devices with dual sources, HDMI & D-Sub (VGA) ports
- The standard VESA-mount supported
- Always allows you to play audio file with built-in speakers while learning

MSI PRO MP271P 27 Inch Monitor with Adjustable Stand, Full HD (1920 x 1080), 75Hz, IPS, 5ms, HDMI, VGA, Built-in Speakers, Anti-Glare, Anti-Flicker, Less Blue light, TÜV Certified, VESA, Kensington, Black







Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	Microphone in	✓
Display resolution *	1920 x 1080 pixels	Ergonomics	
HD type * Native aspect ratio * Display technology * Panel type * Display brightness (typical) Response time Screen shape * Contrast ratio (typical) * Maximum refresh rate *	Full HD 16:9 LED IPS 250 cd/m² 5 ms Flat 1000:1 75 Hz 178° 178° 16.7 million colours 0.3114 x 0.3114 mm 59.8 cm	VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Height adjustment Pivot Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range	100 x 100 mm  Kensington  12 cm  -90 - 90°  -30 - 30°  -8 - 20°
Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Viewable size, horizontal			
Viewable size, vertical Colour depth RGB colour space sRGB coverage (typical)	33.6 cm 8 bit sRGB 93.1%	Energy efficiency class (SDR) * Energy consumption (SDR) per 100 hours * Power consumption (typical) *	23 W
Performance		Power consumption (standby) * Power consumption (off)	0.5 W 0.5 W
NVIDIA G-SYNC * AMD FreeSync * Flicker-free technology Low Blue Light technology	<b>X X 4</b>	AC input voltage AC input frequency Input current Operational conditions	1.5 A
Multimedia		Operating temperature (T-T)	0 - 40 °C
Built-in speaker(s) * Built-in camera *	×	Storage temperature (T-T) Operating relative humidity (H-H)	-20 - 60 °C 10 - 85%

Multimedia		Operational conditions		
Number of speakers RMS rated power	2 4 W	Storage relative humidity (H-H) Operating altitude	10 - 90% 0 - 5000 m	
Design		Packaging content		
Market positioning *	Business	Stand included	1	
Product colour *	Black	Weight & dimensions		
Ports & interfaces	Black	Width (with stand)  Depth (with stand)	612.6 mm 228.9 mm	
Built-in USB hub * VGA (D-Sub) ports quantity	<b>X</b> 1	Height (with stand) Weight (with stand)	405.4 mm 5.3 kg	
DVI port HDMI *	X	Packaging data		
HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs	1 1.4 ✓ ✓	Package width Package depth Package height Package weight	765 mm 183 mm 490 mm 7.3 kg	

